



SEA LAMPREY CONTROL BOARD RESEARCH PRIORITIES

The [Sea Lamprey Control Board](#) has identified these research priorities as critical research needs to understand and improve the control of sea lamprey in the Great Lakes. Investigators are encouraged to use this list to develop research ideas. The research priorities addressed by a proposal are considered during pre-proposal evaluation.

Note: This is an unranked list of research needs.

Larval Assessment:

1. How can we determine the specific stream, channel, or lentic area where an individual sea lamprey lived as a larva?
2. What are sea lamprey life stage survival rates and the factors that influence them (natural survival)?
3. To what extent are the costs and levels of accuracy in our ability to measure density, distribution, and occurrence of larval sea lamprey impeding overall sea lamprey control in the Great Lakes? How can accuracy, precision, and efficiency in assessments of larval sea lamprey distributions, demographics, and dynamics be improved through alternative modeling or assessment techniques?

Lampricides:

1. What are the key environmental and biological variables that contribute to residual sea lamprey (i.e. those that survive a lampricide treatment)?
2. What unique physiological, ecological, and biological vulnerabilities do sea lamprey have that we can use to develop new lampricides?
3. What are the physiological effects of lampricide treatments on non-target organisms, particularly species of concern including but not limited to lake sturgeon, mudpuppies, native lamprey, and native mussels and their hosts?
4. What are the population level effects of lampricide treatments on non-target organisms, particularly species of concern including but not limited to lake sturgeon, mudpuppies, native lamprey, and native mussels and their hosts?
5. Can novel lampricides or formulations be developed that are as environmentally compatible as TFM and maintain or improve lampricide efficacy and selectivity?

Trapping:

- 1. What factors influence encounter rates for adult sea lamprey at traps and how can those factors be used to improve encounter and entrance into traps?**
 - Adult sea lamprey are captured using traps at migratory barriers for purpose of population assessment but encounter and entrances rates are unsatisfactory at many sites. Results would be used to improve or alter sea lamprey trap design and placement in barrier blocked streams where traps are used.
 - See [McLaughlin et al. 2007](#), [Miehls et al.2020](#).
- 2. What biological, behavioral, and environmental factors or phenotypic traits be exploited to capture and remove downstream migrating sea lamprey?**
 - Currently, newly metamorphosed migratory sea lamprey are not targeted for control or assessment due to a lack of knowledge about behavior during downstream migration and a lack of effective means of capture for juveniles that typically migrate in fall and spring during periods of high flow and often high debris loads.
 - The task force is interested in information that will help with conception, design, and testing methods to effectively capture and remove downstream migrating juvenile sea lamprey.
 - See [Evans et al. 2021](#) for review of current state of knowledge of downstream migratory life stage.
- 3. What behaviors could be exploited, or methods/technologies could be used to enumerate or capture adult sea lamprey in large open river systems without barriers?**
 - Currently, adult sea lamprey are not targeted in large open river systems because capture success is low without migratory barriers to concentrate the lamprey and it thus is not cost-effective.
 - The SLCP is interested in innovative ideas to enumerate or capture adult sea lamprey in open river systems. Information that will help with conception, design and/or testing of new methods is also critical to the program needs.
 - See [McLaughlin et al. 2007](#), [Miehls et al.2020](#).

Barriers:

- 1. What factors influence connectivity decisions (barrier removal, construction, and modification), including social, cultural, economic, and biological factors?**
 - Often natural resource agencies struggle to reach mutual goals and objectives when balancing stream connectivity with invasive species management, specifically sea lamprey in the Great Lakes. While the economic costs of barrier removals are well known, other factors that impact the decision-making process are less understood, including social, cultural, and biological factors. These factors may vary temporally, spatially, and between stakeholders and managers. The SLCP aims to understand the decision process of barrier owners and other agencies when determining actions related to connectivity. This information will be used to inform SLCP investment and communication strategies when engaging partners in efforts to reach the best decision for overall stream health and invasive species management.
 - See [Hrodey et al 2021](#), [Walter et al 2021](#), [Miehls et al.2020](#), and [Bellmore et al 2019](#).

2. **What hydraulic and hydrologic characteristics of barrier/fishway designs most effectively facilitate passage needs, exploiting the natural behavior and motivation of sea lamprey and non-targets (native non-jumping species)?**
3. **What are the future effects of climate change (extreme weather events) and geomorphology changes on sea lamprey barrier efficacy?**
 - The SLCP is interested in understanding how climate change and associated variation in geomorphology will impact sea lamprey barrier effectiveness, as the influence of current and future stream geomorphic characteristics on sea lamprey barrier performance is not well understood. Research to address this question would focus on changes in physical river conditions and barrier stability associated with more frequent extreme weather events, as well as physiological and behavioral changes in adult sea lamprey.
 - The SLCP would benefit from the ability to predict barrier failures and sea lamprey escapements and identifying strategies or technologies to prevent or mitigate such events.

FishLamp:

1. What is the lethality of lamprey attacks on hosts (salmonines, burbot, coregonines) and what factors determine lethality?
2. How do sea lampreys locate, select, and attach to hosts (salmonines, burbot, coregonines) in the lake?
3. What is the relationship between localized larval sea lamprey production and the distribution of parasitic juveniles in the lake?
4. What proportion of recently metamorphosed sea lampreys survive to feed, and what proportion of parasitic juveniles survive to spawn?

Other:

1. What is the mechanism for the stock recruitment relationship and how is it influenced by adult and larval habitat?
2. How do adult sea lamprey distribute themselves to spawning habitat (from the lake to stream)?